

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILIN	G DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/564,534	01/1	2/2006	Lukas Haener	FR030077	1837	
65913 NXP, B.V.	7590	02/11/2008		EXAM	INER	
NXP INTELL	ECTUAL P	ROPERTY DEPA	VU, JIMMY T			
M/S41-SJ 1109 MCKAY DRIVE			ART UNIT	PAPER NUMBER		
SAN JOSE, CA 95131				2821		
			·			
				NOTIFICATION DATE	DELIVERY MODE	
				02/11/2008	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ip.department.us@nxp.com

		Application No.	Applicant/s)			
		Application No.	Applicant(s)			
	0554.4.	10/564,534	HAENER ET AL.			
	Office Action Summary	Examiner	Art Unit			
		JIMMY T. VU	2821			
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address			
WHIC - Exte after - If NC - Failu Any	CORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAISING SIX (6) MONTHS from the mailing date of this communication. Depriod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on 26 No.	ovember 2007.	•			
2a)⊠	This action is FINAL . 2b) ☐ This	action is non-final.				
3)□	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	33 O.G. 213.			
Disposit	ion of Claims					
5) <u>□</u> 6)⊠	Claim(s) 1-4 and 6-8 is/are pending in the appliance of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-4,6-8 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.				
Applicati	on Papers					
10)□	The specification is objected to by the Examiner The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction to the oath or declaration is objected to by the Example 1.	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority ι	ınder 35 U.S.C. § 119					
12)[_ a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priorical application from the International Bureau	have been received. have been received in Application ity documents have been receive (PCT Rule 17.2(a)).	on No d in this National Stage			
* 5	See the attached detailed Office action for a list of	of the certified copies not receive	d.			
Attachmen	t(s)					
1) 🛛 Notic	e of References Cited (PTO-892)	4) Interview Summary				
3) 🔲 Inform	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:				

Art Unit: 2821

DETAILED ACTION

Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 2. Claims 1-4, 6-8 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Applicant has not pointed out where the new (or amended) claim is supported, nor does there appear to be a written description of the claim limitation "battery having a voltage less than said predefined minimum forward voltage", recited in claims 1 and 8, lines 3 and 4 of each claim, in the application as filed.

Claims 2-4, 6 and 7 are rejected under 35 U.S.C. 112, first paragraph, as depending on independent claim 1.

Specification

3. The amendment filed 11/26/2007 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no

Art Unit: 2821

amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows:

There is/are no supporting in the specification to the limitation "battery having a voltage less than said predefined minimum forward voltage" as claimed in claims 1 and 8.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1-4 and 6, 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Boys (6,459,218 B2) in view of Lebens et al. (U.S. Patent 6,095,661).

Regarding claim 1, Boys discloses a device for lighting at least one light emitting diode (LED) (405) (Figs. 4-6) to be supplied with predefined minimum forward voltage inductor (501) (Figs. 4-6, col. 6, line 59) would supply minimum forward voltage] and maximum current, comprising:

a pulse generator (602) (Fig. 6) for generating a cyclic pulse signal having predefined on-times and off-times,

a switch (503) (Fig. 5, col. 7, lines 39-40) controlled by the pulse generator to be turned on during said on-times to short-circuit the light emitting diode and turned off during said off-times,

0004

Art Unit: 2821

an inductive device (501) (Figs. 4-6, col. 6, line 59) for being charged when the switch (503) is turned on and for increasing the forward voltage over the light emitting diode when the switch is turned off.

Boys does not specific disclose a battery having a voltage less than said predefined minimum forward voltage, and the pulse generator which is a pulse width modulator (PWM).

Lebens shows a method and apparatus for an LED flashlight as shown in figure 10 comprising a battery (120, figures 1-5, col. 7, lines 38-40), which has a voltage (12V, figure 10) less than predefined minimum forward voltage [forward voltage from inductor 503 of Boys would be high] and a pulse generator (201, see figure 10), which is a PWM.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a battery and a pulse generator as a PWM as taught by Lebens employed in the device of Boys in order to provide a DC voltage supply to LEDs' system, and a master clock to control and adjust a pulse width and length for a measuring an average light output.

Regarding claim 2, Boys discloses a device comprising a diode (510) before the light emitting diode to prevent the voltage over the light emitting diode from going down to zero (Figs. 5 and 6).

Regarding claim 3, Boys discloses a device wherein the inductive device (501) is a coil having an inductance defined by the number of light emitting diodes (405) (increasing/decreasing the number of diodes (405) would affect the current flowing through the inductor (501) [refer to the connection in Figs. 5 and 6]) and their maximum

Art Unit: 2821

current and voltage requirements as well as the available frequency of the pulse generator (Figs. 4-6).

Regarding claim 4, Boys discloses a device wherein the cyclic pulse signal has a frequency from 0.1 kHz to 30 Mega hertz (col. 7, lines 39-50).

Regarding claim 6, Boys discloses a device wherein the switch (503) is a MOS FET (Fig. 5, col. 6, line 61).

Regarding claim 8, Boys discloses a method of lighting at least one light emitting diode (405) (Figs. 4-6) to be supplied with predefined minimum forward voltage and maximum current, comprising the steps of:

supplying a forward voltage to the light emitting diode (col. 6, lines 33-35). To be more specific, the supply voltage from the rectifier (403) (making DC voltage) is applied to the LED through the output of element (502).

generating a cyclic pulse signal (by generator (602) as shown in Fig. 6, col. 7, lines 39-40) having predefined on-times and off-times for controlling a switch (503) to be turned on during said on-times to short-circuit (col. 6, lines 61-63) the light emitting diode and turned off during said off-times,

charging an inductive device (401) when the switch (503) is turned on (Figs. 5 and 6 shown that switch (503) is used to control the current/voltage flowing of inductive device (501)),

increasing the forward voltage over the light emitting diode when the switch is turned off so that said forward voltage gets higher than the minimum forward voltage (when the switch 503 is in OFF stated, the current flowing through the light emitting

Art Unit: 2821

diode is increased. As a result, the forward voltage over the light emitting diode is increased. It is noted that a forward voltage (in a diode) is just a voltage that results from the current in the forward direction, then when the current (I) is increased, the voltage would follows, V=IR).

Boys does not specific disclose the pulse generator, which is a pulse width modulator (PWM).

Lebens shows a method and apparatus for an LED flashlight as shown in figure 10 comprising a pulse generator (201, see figure 10), which is a PWM.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a battery and a pulse generator as a PWM as taught by Lebens employed in the device of Boys in order to provide a DC voltage supply to LEDs' system, and a master clock to control and adjust a pulse width and length for a measuring an average light output.

6. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Boys ('218 B2) in view of Lebens ('661) and further in view of Weindorf (U.S. Patent 6,690,121).

Regarding claim 7, Boys as modified by Lebens discloses a battery-supplied apparatus comprising a device as claimed. Boys and Lebens are silent about the display. However, as evidenced by Weindorf, providing a display (display panel 104) (Fig. 1, col. 3, line 52) is well known in the art. Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to provide the

Art Unit: 2821

/Control Number: 10/304,30

apparatus of Boys and Lebens with the display panel as taught by Weindorf in order to connect with the electrical device or control circuitry for controlling brightness of the illumination.

Response to Arguments

7. Applicant's arguments filed 11/26/07 have been fully considered but they are not persuasive.

Applicant argues:

Boys and Lebens fails to disclose "power for an LED having a predefined minimum forward voltage is supplied by a battery having a voltage less than the predefined minimum forward voltage. No such feature is believed to be taught or suggested by the cited references, in particular. The use of battery power in the arrangement of Boys, the primary reference, would defeat the purpose of the reference, which is to power roadway reflectors, fire egress lights, and the like, applications where battery power is impractical".

Examiner disagrees because these limitations as amended in claims 1 and 8 have no support in the specification, and also there are/is no structuring for support these limitations as claimed. Further, there is new matter which is/are not disclosed in the specification.

Art Unit: 2821

Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jimmy T Vu whose telephone number is (571) 272-1832. The examiner can normally be reached on M - F: 9 - 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas W. Owens can be reached on (571) 272-1662. The fax phone numbers for the organization where this application or proceeding is assigned are (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-2800.

Art Unit: 2821

Jimmy Vu

January 31, 2008

THUY V.TRAN
PRIMARY EXAMINER